

# ARA WALL

*Ilaria Marelli*

Familie von Steh- und Wandleuchten mit LED-Lichtquellen, LED- und DTW-Versionen (DIM to Warm). Die beiden Elemente sind aus Aluminiumdruckguß. Das Modell ist in den Farben weiß, anthrazit-, champagner- und mokafarben lieferbar. Das Drehelement ist poliert, weiß oder anthrazit lackiert. Das in der Struktur integrierte Uplight ist in LED erhältlich und streut ein diffuses Licht an die Decke. Das Leuchtmittel im Drehelement ist in LED oder Leuchtstoff erhältlich und verbreitet eine diffuse Lichtstreuung, die individuell reguliert werden kann. Das EVG ist in der Struktur integriert. Das Netzteil ist bei beiden Versionen integriert, während der Dimmer bei der LED + LED-Version am Kabel und bei der DTW-Version integriert ist.



## 69 LED

### LAMPING

Source	LED board
Total power	2x16W
Emission	double
Switching	dimnable, DALI/push, mono switch
Tension	230V
Color temperature	3000K
Luminous flux	3600lm (source luminous flux)
Typ cri	85
Energy class	A+
Ip class	40
Materials	aluminium + PMMA
Notes	orientable, anthracite RAL7016, champagne RAL9007
Net lamp weight	3,5 kg

### Codes

ARA LWW 32  
ARA LWL 32  
ARA LXL 32  
ARA LDL 32

### Structure/Diffuser


white/white  
white/polished  
anthracite/polished  
champagne/polished

### PACKAGE

Package 01

Dimension: 80x30x19 cm / Gross weight: 4,5 kg

### Certificazioni



## 29 LED

### LAMPING

Source	LED board
Total power	2x8W
Emission	double
Switching	mono switch
Tension	110/230V
Color temperature	3000K
Luminous flux	1300lm (source luminous flux)
Typ cri	85
Energy class	A+
Ip class	40
Materials	aluminium + PMMA
Notes	orientable diffuser, anthracite RAL7016, champagne RAL9007
Net lamp weight	1 kg

### Codes

ARA LWW 35  
ARA LWL 35  
ARA LXL 35  
ARA LDL 35

### Structure/Diffuser

white/white  
white/polished  
anthracite/polished  
champagne/polished

### PACKAGE

Package 01

Dimension: 18x38x12 cm / Gross weight: 1,5 kg

### Certificazioni



IP40

