

Chocolate Stehleuchte - LED 2-desk 3000K dimmbar - Mokka



IP20  Dimmbar: 


DESIGN

a.g Licht

BESCHREIBUNG

Chocolate Floor Led sets new standards in the lighting and living at the workplace, and features unique characteristics in terms of ergonomics, efficiency and lighting comfort. With the innovative optics technology, the direct light is directed and focused onto the specific visual task, for single desk (800 x 1600 mm) or double desk workstation (1600 x 1600 mm). It provides maximum efficiency thanks to a large direct component (48%, 2-desk version). 2 light management options: Dimmable (double-switch circuit), Interactive-Dali System with movement detector and daylight sensor, providing auto-regulation of the light intensity depending on the light level in the environment, and people presence.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

Artikelnummer:	M036411	Material:	Aluminium und Stahl
Farbe:	Mokka	Serie:	Indoor
Installation:	Stehleuchte	Einsatzbereich:	Büros
Anwendungsbereich:	Innenbeleuchtung	Lichtverteilung:	direkt/indirekt

DIMENSION

Länge:	cm 59,3
Breite:	cm 25,5
Höhe:	cm 190
Gewicht:	kg 14

INKLUSIVE LEUCHTMITTEL

Kategorie:	LED	Farbtemperatur(K):	3000K
Anzahl:	1	Color Tolerance:	MacAdam 4SDCM
Watt:	38W	CRI:	>80
Lichtstrom (lm):	4070lm	Efficacy:	107lm/W
Typ:	0	Service Life:	L70(6K)>36000h
Class:	A		
Kategorie:	LED	Farbtemperatur(K):	3000K
Anzahl:	1	Color Tolerance:	MacAdam 3SDCM
Watt:	43W	CRI:	>80
Lichtstrom (lm):	3915lm	Efficacy:	91lm/W
Typ:	0	Service Life:	L70(6K)>3600h
Class:	A		

LUMINAIRE

Power Supply:	Elektronisch Dimmbar Integriert	Lichtstrom (lm):	6664lm
Watt:	95.0W	CCT:	3000K
Spannung (V):	220V-240V	Efficiency:	100%
		Efficacy:	70.15lm/W
		CRI:	80

Chocolate Stehleuchte - LED 2-desk 3000K dimmbar - Weiss



IP20  Dimmbar: 


DESIGN

a.g Licht

BESCHREIBUNG

Chocolate Floor Led sets new standards in the lighting and living at the workplace, and features unique characteristics in terms of ergonomics, efficiency and lighting comfort. With the innovative optics technology, the direct light is directed and focused onto the specific visual task, for single desk (800 x 1600 mm) or double desk workstation (1600 x 1600 mm). It provides maximum efficiency thanks to a large direct component (48%, 2-desk version). 2 light management options: Dimmable (double-switch circuit), Interactive-Dali System with movement detector and daylight sensor, providing auto-regulation of the light intensity depending on the light level in the environment, and people presence.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

Artikelnummer:	M036421	Material:	Aluminium und Stahl
Farbe:	Weiss	Serie:	Indoor
Installation:	Stehleuchte	Einsatzbereich:	Büros
Anwendungsbereich:	Innenbeleuchtung	Lichtverteilung:	direkt/indirekt

DIMENSION

Länge:	cm 59,3
Breite:	cm 25,5
Höhe:	cm 190
Gewicht:	kg 14

INKLUSIVE LEUCHTMITTEL

Kategorie:	LED	Farbtemperatur(K):	3000K
Anzahl:	1	Color Tolerance:	MacAdam 4SDCM
Watt:	38W	CRI:	>80
Lichtstrom (lm):	4070lm	Efficacy:	107lm/W
Typ:	0	Service Life:	L70(6K)>36000h
Class:	A		
Kategorie:	LED	Farbtemperatur(K):	3000K
Anzahl:	1	Color Tolerance:	MacAdam 3SDCM
Watt:	43W	CRI:	>80
Lichtstrom (lm):	3915lm	Efficacy:	91lm/W
Typ:	0	Service Life:	L70(6K)>3600h
Class:	A		

LUMINAIRE

Power Supply:	Elektronisch Dimmbar Integriert	Lichtstrom (lm):	6664lm
Watt:	95.0W	CCT:	3000K
Spannung (V):	220V-240V	Efficiency:	100%
		Efficacy:	70.15lm/W
		CRI:	80

Chocolate Stehleuchte - LED 2-desk 4000K dimmbar - Mokka



IP20  Dimmbar: 


DESIGN

a.g Licht

BESCHREIBUNG

Chocolate Floor Led sets new standards in the lighting and living at the workplace, and features unique characteristics in terms of ergonomics, efficiency and lighting comfort. With the innovative optics technology, the direct light is directed and focused onto the specific visual task, for single desk (800 x 1600 mm) or double desk workstation (1600 x 1600 mm). It provides maximum efficiency thanks to a large direct component (48%, 2-desk version). 2 light management options: Dimmable (double-switch circuit), Interactive-Dali System with movement detector and daylight sensor, providing auto-regulation of the light intensity depending on the light level in the environment, and people presence.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

Artikelnummer:	M036511	Material:	Aluminium und Stahl
Farbe:	Mokka	Serie:	Indoor
Installation:	Stehleuchte	Einsatzbereich:	Büros
Anwendungsbereich:	Innenbeleuchtung	Lichtverteilung:	direkt/indirekt

DIMENSION

Länge:	cm 59,3
Breite:	cm 25,5
Höhe:	cm 190
Gewicht:	kg 14

INKLUSIVE LEUCHTMITTEL

Kategorie:	LED	Farbtemperatur(K):	4000K
Anzahl:	1	Color Tolerance:	MacAdam 4SDCM
Watt:	38W	Efficacy:	115lm/W
Lichtstrom (lm):	4355lm	Service Life:	> 36000h
Typ:	0		
Class:	A		
Kategorie:	LED	Farbtemperatur(K):	4000K
Anzahl:	1	Color Tolerance:	MacAdam 3SDCM
Watt:	43W	CRI:	>80
Lichtstrom (lm):	4189lm	Efficacy:	97lm/W
Typ:	0	Service Life:	L70(6K)>3600h
Class:	A		

LUMINAIRE

Power Supply:	Elektronisch Dimmbar Integriert	Lichtstrom (lm):	7131lm
Watt:	95.0W	CCT:	4000K
Spannung (V):	220V-240V	Efficiency:	100%
		Efficacy:	75.06lm/W
		CRI:	80

Chocolate Stehleuchte - LED 2-desk 4000K dimmbar - Weiss



IP20  Dimmbar: 


DESIGN

a.g Licht

BESCHREIBUNG

Chocolate Floor Led sets new standards in the lighting and living at the workplace, and features unique characteristics in terms of ergonomics, efficiency and lighting comfort. With the innovative optics technology, the direct light is directed and focused onto the specific visual task, for single desk (800 x 1600 mm) or double desk workstation (1600 x 1600 mm). It provides maximum efficiency thanks to a large direct component (48%, 2-desk version). 2 light management options: Dimmable (double-switch circuit), Interactive-Dali System with movement detector and daylight sensor, providing auto-regulation of the light intensity depending on the light level in the environment, and people presence.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

Artikelnummer:	M036521	Material:	Aluminium und Stahl
Farbe:	Weiss	Serie:	Indoor
Installation:	Stehleuchte	Einsatzbereich:	Büros
Anwendungsbereich:	Innenbeleuchtung	Lichtverteilung:	direkt/indirekt

DIMENSION

Länge:	cm 59,3
Breite:	cm 25,5
Höhe:	cm 190
Gewicht:	kg 14

INKLUSIVE LEUCHTMITTEL

Kategorie:	LED	Farbtemperatur(K):	4000K
Anzahl:	1	Color Tolerance:	MacAdam 4SDCM
Watt:	38W	Efficacy:	115lm/W
Lichtstrom (lm):	4355lm	Service Life:	> 36000h
Typ:	0		
Class:	A		
Kategorie:	LED	Farbtemperatur(K):	4000K
Anzahl:	1	Color Tolerance:	MacAdam 3SDCM
Watt:	43W	CRI:	>80
Lichtstrom (lm):	4189lm	Efficacy:	97lm/W
Typ:	0	Service Life:	L70(6K)>3600h
Class:	A		

LUMINAIRE

Power Supply:	Elektronisch Dimmbar Integriert	Lichtstrom (lm):	7131lm
Watt:	95.0W	CCT:	4000K
Spannung (V):	220V-240V	Efficiency:	100%
		Efficacy:	75.06lm/W
		CRI:	80

Chocolate Stehleuchte - LED 2-desk 3000K Interactive-Dali - Mokka



IP20  Dimmbar: +  -


DESIGN

a.g Licht

BESCHREIBUNG

Chocolate Floor Led sets new standards in the lighting and living at the workplace, and features unique characteristics in terms of ergonomics, efficiency and lighting comfort. With the innovative optics technology, the direct light is directed and focused onto the specific visual task, for single desk (800 x 1600 mm) or double desk workstation (1600 x 1600 mm). It provides maximum efficiency thanks to a large direct component (48%, 2-desk version). 2 light management options: Dimmable (double-switch circuit), Interactive-Dali System with movement detector and daylight sensor, providing auto-regulation of the light intensity depending on the light level in the environment, and people presence.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

Artikelnummer:	M036416	Material:	Aluminium und Stahl
Farbe:	Mokka	Serie:	Indoor
Installation:	Stehleuchte	Einsatzbereich:	Büros
Anwendungsbereich:	Innenbeleuchtung	Lichtverteilung:	direkt/indirekt

DIMENSION

Länge:	cm 59.3
Breite:	cm 25.5
Höhe:	cm 190
Gewicht:	kg 14

INKLUSIVE LEUCHTMITTEL

Kategorie:	LED	Farbtemperatur(K):	3000K
Anzahl:	1	Color Tolerance:	MacAdam 4SDCM
Watt:	38W	CRI:	>80
Lichtstrom (lm):	4070lm	Efficacy:	107lm/W
Typ:	0	Service Life:	L70(6K)>36000h
Class:	A		
Kategorie:	LED	Farbtemperatur(K):	3000K
Anzahl:	1	Color Tolerance:	MacAdam 3SDCM
Watt:	43W	CRI:	>80
Lichtstrom (lm):	3915lm	Efficacy:	91lm/W
Typ:	0	Service Life:	L70(6K)>3600h
Class:	A		

LUMINAIRE

Power Supply:	Elektronisch Interactive-Dali Integriert	Lichtstrom (lm):	6664lm
Watt:	95.0W	CCT:	3000K
Spannung (V):	220V-240V	Efficiency:	100%
		Efficiency:	70.15lm/W
		CRI:	80

ZUBEHÖR



INTERACTIVE-DALI
Fernbedienung.
M104900

Chocolate Stehleuchte - LED 2-desk 3000K Interactive-Dali - Weiss



IP20


DESIGN

a.g Licht

BESCHREIBUNG

Chocolate Floor Led sets new standards in the lighting and living at the workplace, and features unique characteristics in terms of ergonomics, efficiency and lighting comfort. With the innovative optics technology, the direct light is directed and focused onto the specific visual task, for single desk (800 x 1600 mm) or double desk workstation (1600 x 1600 mm). It provides maximum efficiency thanks to a large direct component (48%, 2-desk version). 2 light management options: Dimmable (double-switch circuit), Interactive-Dali System with movement detector and daylight sensor, providing auto-regulation of the light intensity depending on the light level in the environment, and people presence.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

Artikelnummer:	M036426	Material:	Aluminium und Stahl
Farbe:	Weiss	Serie:	Indoor
Installation:	Stehleuchte	Einsatzbereich:	Büros
Anwendungsbereich:	Innenbeleuchtung	Lichtverteilung:	direkt/indirekt

DIMENSION

Länge:	cm 59.3
Breite:	cm 25.5
Höhe:	cm 190
Gewicht:	kg 14

INKLUSIVE LEUCHTMITTEL

Kategorie:	LED	Farbtemperatur(K):	3000K
Anzahl:	1	Color Tolerance:	MacAdam 4SDCM
Watt:	38W	CRI:	>80
Lichtstrom (lm):	4070lm	Efficacy:	107lm/W
Typ:	0	Service Life:	L70(6K)>36000h
Class:	A		
Kategorie:	LED	Farbtemperatur(K):	3000K
Anzahl:	1	Color Tolerance:	MacAdam 3SDCM
Watt:	43W	CRI:	>80
Lichtstrom (lm):	3915lm	Efficacy:	91lm/W
Typ:	0	Service Life:	L70(6K)>3600h
Class:	A		

LUMINAIRE

Power Supply:	Elektronisch Interactive-Dali	Lichtstrom (lm):	6664lm
	Integriert	CCT:	3000K
Watt:	95.0W	Efficiency:	100%
Spannung (V):	220V-240V	Efficacy:	70.15lm/W
		CRI:	80

ZUBEHÖR



INTERACTIVE-DALI
Fernbedienung.
M104900

Chocolate Stehleuchte - LED 2-desk 4000K Interactive-Dali - Mokka



IP20  Dimmbar: +  -


DESIGN

a.g Licht

BESCHREIBUNG

Chocolate Floor Led sets new standards in the lighting and living at the workplace, and features unique characteristics in terms of ergonomics, efficiency and lighting comfort. With the innovative optics technology, the direct light is directed and focused onto the specific visual task, for single desk (800 x 1600 mm) or double desk workstation (1600 x 1600 mm). It provides maximum efficiency thanks to a large direct component (48%, 2-desk version). 2 light management options: Dimmable (double-switch circuit), Interactive-Dali System with movement detector and daylight sensor, providing auto-regulation of the light intensity depending on the light level in the environment, and people presence.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

Artikelnummer:	M036516	Material:	Aluminium und Stahl
Farbe:	Mokka	Serie:	Indoor
Installation:	Stehleuchte	Einsatzbereich:	Büros
Anwendungsbereich:	Innenbeleuchtung	Lichtverteilung:	direkt/indirekt

DIMENSION

Länge:	cm 59.3
Breite:	cm 25.5
Höhe:	cm 190
Gewicht:	kg 14

INKLUSIVE LEUCHTMITTEL

Kategorie:	LED	Farbtemperatur(K):	4000K
Anzahl:	1	Color Tolerance:	MacAdam 4SDCM
Watt:	38W	Efficacy:	115lm/W
Lichtstrom (lm):	4355lm	Service Life:	> 36000h
Typ:	0		
Class:	A		
Kategorie:	LED	Farbtemperatur(K):	4000K
Anzahl:	1	Color Tolerance:	MacAdam 3SDCM
Watt:	43W	CRI:	>80
Lichtstrom (lm):	4189lm	Efficacy:	97lm/W
Typ:	0	Service Life:	L70(6K)>3600h
Class:	A		

LUMINAIRE

Power Supply:	Elektronisch Interactive-Dali Integriert	Lichtstrom (lm):	7131lm
Watt:	95.0W	CCT:	4000K
Spannung (V):	220V-240V	Efficiency:	100%
		Efficiency:	75.06lm/W
		CRI:	80

ZUBEHÖR



INTERACTIVE-DALI
Fernbedienung.
M104900

Chocolate Stehleuchte - LED 2-desk 4000K Interactive-Dali - Weiss



IP20  Dimmbar: +  -


DESIGN

a.g Licht

BESCHREIBUNG

Chocolate Floor Led sets new standards in the lighting and living at the workplace, and features unique characteristics in terms of ergonomics, efficiency and lighting comfort. With the innovative optics technology, the direct light is directed and focused onto the specific visual task, for single desk (800 x 1600 mm) or double desk workstation (1600 x 1600 mm). It provides maximum efficiency thanks to a large direct component (48%, 2-desk version). 2 light management options: Dimmable (double-switch circuit), Interactive-Dali System with movement detector and daylight sensor, providing auto-regulation of the light intensity depending on the light level in the environment, and people presence.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

Artikelnummer:	M036526	Material:	Aluminium und Stahl
Farbe:	Weiss	Serie:	Indoor
Installation:	Stehleuchte	Einsatzbereich:	Büros
Anwendungsbereich:	Innenbeleuchtung	Lichtverteilung:	direkt/indirekt

DIMENSION

Länge:	cm 59.3
Breite:	cm 25.5
Höhe:	cm 190
Gewicht:	kg 14

INKLUSIVE LEUCHTMITTEL

Kategorie:	LED	Farbtemperatur(K):	4000K
Anzahl:	1	Color Tolerance:	MacAdam 4SDCM
Watt:	38W	Efficacy:	115lm/W
Lichtstrom (lm):	4355lm	Service Life:	> 36000h
Typ:	0		
Class:	A		
Kategorie:	LED	Farbtemperatur(K):	4000K
Anzahl:	1	Color Tolerance:	MacAdam 3SDCM
Watt:	43W	CRI:	>80
Lichtstrom (lm):	4189lm	Efficacy:	97lm/W
Typ:	0	Service Life:	L70(6K)>3600h
Class:	A		

LUMINAIRE

Power Supply:	Elektronisch Interactive-Dali Integriert	Lichtstrom (lm):	7131lm
Watt:	95.0W	CCT:	4000K
Spannung (V):	220V-240V	Efficiency:	100%
		Efficiency:	75.06lm/W
		CRI:	80

ZUBEHÖR



INTERACTIVE-DALI
Fernbedienung.
M104900