





Silent Field 2.0 - Direct + Indirect - 3000K - White



IP20    Dimmbar: 


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|---------------------------|------------------|---------------|----------------|
| Artikelnummer: | 1013020A | Serie: | Design, Indoor |
| Farbe: | White | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|--------------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |


INKLUSIVE LEUCHTMITTEL

| | | | |
|-------------------|-----|---------------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 35W | | |
| Typ: | 0 | | |
| Class: | A | | |

LUMINAIRE

| | | | |
|--------------|-----|---------------------------|-----------|
| Watt: | 75W | Lichtstrom (lm): | 5276lm |
| | | CCT: | 3000K |
| | | Efficiency: | 75% |
| | | Efficacy: | 70.35lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Silent Field 2.0 - Direct + Indirect - 3000K - Orange



IP20 Dimmbar: + -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|---------------------------|------------------|---------------|----------------|
| Artikelnummer: | 1013040A | Serie: | Design, Indoor |
| Farbe: | Orange | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|--------------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |


INKLUSIVE LEUCHTMITTEL





| | | | |
|-------------------|-----|---------------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 35W | | |
| Typ: | 0 | | |
| Class: | A | | |

LUMINAIRE

| | | | |
|--------------|-----|---------------------------|-----------|
| Watt: | 75W | Lichtstrom (lm): | 5276lm |
| | | CCT: | 3000K |
| | | Efficiency: | 75% |
| | | Efficacy: | 70.35lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Silent Field 2.0 - Direct + Indirect - 3000K - Black



IP20    Dimmbar: 


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|---------------------------|------------------|---------------|----------------|
| Artikelnummer: | 1013030A | Serie: | Design, Indoor |
| Farbe: | Black | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|--------------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |

INKLUSIVE LEUCHTMITTEL

| | | | |
|-------------------|-----|---------------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 35W | | |
| Typ: | 0 | | |
| Class: | A | | |

LUMINAIRE

| | | | |
|--------------|-----|---------------------------|-----------|
| Watt: | 75W | Lichtstrom (lm): | 5276lm |
| | | CCT: | 3000K |
| | | Efficiency: | 75% |
| | | Efficacy: | 70.35lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Silent Field 2.0 - Direct - 3000K - White



IP20 Dimmbar: + -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|--------------------|------------------|--------|----------------|
| Artikelnummer: | 1014020A | Serie: | Design, Indoor |
| Farbe: | White | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|-------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |


INKLUSIVE LEUCHTMITTEL





| | | | |
|------------|-----|--------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |

LUMINAIRE

| | | | |
|-------|-----|--------------------|-----------|
| Watt: | 35W | Lichtstrom (lm): | 2085lm |
| | | CCT: | 3000K |
| | | Efficiency: | 64% |
| | | Efficacy: | 59.56lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Silent Field 2.0 - Direct - 3000K - Orange



IP20    Dimmbar: +  -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|--------------------|------------------|--------|----------------|
| Artikelnummer: | 1014040A | Serie: | Design, Indoor |
| Farbe: | Orange | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|-------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |


INKLUSIVE LEUCHTMITTEL





| | | | |
|------------|-----|--------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |

LUMINAIRE

| | | | |
|-------|-----|--------------------|-----------|
| Watt: | 35W | Lichtstrom (lm): | 2085lm |
| | | CCT: | 3000K |
| | | Efficiency: | 64% |
| | | Efficacy: | 59.56lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Silent Field 2.0 - Direct - 3000K - Black



IP20    Dimmbar: +  -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|---------------------------|------------------|---------------|----------------|
| Artikelnummer: | 1014030A | Serie: | Design, Indoor |
| Farbe: | Black | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|--------------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |

INKLUSIVE LEUCHTMITTEL






| | | | |
|-------------------|-----|---------------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |

LUMINAIRE

| | | | |
|--------------|-----|---------------------------|-----------|
| Watt: | 35W | Lichtstrom (lm): | 2085lm |
| | | CCT: | 3000K |
| | | Efficiency: | 64% |
| | | Efficacy: | 59.56lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Silent Field 2.0 - Direct + Indirect - 3000K - APP Compatible - White



IP20     Dimmbar: +  -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|---------------------------|------------------|---------------|----------------|
| Artikelnummer: | 1013020APP | Serie: | Design, Indoor |
| Farbe: | White | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|--------------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |

INKLUSIVE LEUCHTMITTEL

| | | | |
|-------------------|-----|---------------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 35W | | |
| Typ: | 0 | | |
| Class: | A | | |

LUMINAIRE





| | | | |
|--------------|-----|---------------------------|-----------|
| Watt: | 75W | Lichtstrom (lm): | 5276lm |
| | | CCT: | 3000K |
| | | Efficiency: | 75% |
| | | Efficacy: | 70.35lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Anmerkungen

Dimmable: Push & APP

Silent Field 2.0 - Direct - 3000K - APP Compatible - White



IP20    Dimmbar:  -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|---------------------------|------------------|---------------|----------------|
| Artikelnummer: | 1014020APP | Serie: | Design, Indoor |
| Farbe: | White | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|--------------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |

INKLUSIVE LEUCHTMITTEL

| | | | |
|-------------------|-----|---------------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |


LUMINAIRE

| | | | |
|--------------|-----|---------------------------|-----------|
| Watt: | 35W | Lichtstrom (lm): | 2085lm |
| | | CCT: | 3000K |
| | | Efficiency: | 64% |
| | | Efficacy: | 59.56lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Anmerkungen

Dimmable: Push & APP

Silent Field 2.0 - Direct + Indirect - 3000K - APP Compatible - Orange



IP20 Dimmbar: + -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|--------------------|------------------|--------|----------------|
| Artikelnummer: | 1013040APP | Serie: | Design, Indoor |
| Farbe: | Orange | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|-------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |

INKLUSIVE LEUCHTMITTEL

| | | | |
|------------|-----|--------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 35W | | |
| Typ: | 0 | | |
| Class: | A | | |


LUMINAIRE





| | | | |
|-------|-----|--------------------|-----------|
| Watt: | 75W | Lichtstrom (lm): | 5276lm |
| | | CCT: | 3000K |
| | | Efficiency: | 75% |
| | | Efficacy: | 70.35lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Anmerkungen

Dimmable: Push & APP

Silent Field 2.0 - Direct - 3000K - APP Compatible - Orange



IP20    Dimmbar: +  -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|--------------------|------------------|--------|----------------|
| Artikelnummer: | 1014040APP | Serie: | Design, Indoor |
| Farbe: | Orange | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|-------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |

INKLUSIVE LEUCHTMITTEL

| | | | |
|------------|-----|--------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |


LUMINAIRE





| | | | |
|-------|-----|--------------------|-----------|
| Watt: | 35W | Lichtstrom (lm): | 2085lm |
| | | CCT: | 3000K |
| | | Efficiency: | 64% |
| | | Efficacy: | 59.56lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Anmerkungen

Dimmable: Push & APP

Silent Field 2.0 - Direct + Indirect - 3000K - APP Compatible - Black



IP20    Dimmbar: +  -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|---------------------------|------------------|---------------|----------------|
| Artikelnummer: | 1013030APP | Serie: | Design, Indoor |
| Farbe: | Black | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|--------------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |

INKLUSIVE LEUCHTMITTEL

| | | | |
|-------------------|-----|---------------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 35W | | |
| Typ: | 0 | | |
| Class: | A | | |


LUMINAIRE





| | | | |
|--------------|-----|---------------------------|-----------|
| Watt: | 75W | Lichtstrom (lm): | 5276lm |
| | | CCT: | 3000K |
| | | Efficiency: | 75% |
| | | Efficacy: | 70.35lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Anmerkungen

Dimmable: Push & APP

Silent Field 2.0 - Direct - 3000K - APP Compatible - Black



IP20    Dimmbar: +  -


DESIGN

Carlotta de Bevilacqua, Laura Pessoni

BESCHREIBUNG

Suspension appliance with sound absorption properties: the material's characteristics and the appliance's geometry ensure a reduced reverberation time. The sound absorption effect is optimized for the frequencies of human voice. The varying densities of the material used for the lower panel promote the absorption of different frequencies. Both the upper and the lower surface of the appliance feature sound-absorbing properties. Appropriate positioning of the appliance in space is crucial to optimize sound absorption.

TECHNISCHE ZEICHNUNGEN



FUNKTIONEN

| | | | |
|---------------------------|------------------|---------------|----------------|
| Artikelnummer: | 1014030APP | Serie: | Design, Indoor |
| Farbe: | Black | | |
| Installation: | Pendelleuchte | | |
| Anwendungsbereich: | Innenbeleuchtung | | |

DIMENSION

| | |
|--------------------------------|--------|
| Durchmesser Fuß: | cm 30 |
| Max Höhe von der Decke: | cm 200 |

INKLUSIVE LEUCHTMITTEL

| | | | |
|-------------------|-----|---------------------------|-------|
| Kategorie: | LED | Farbtemperatur(K): | 3000K |
| Anzahl: | 1 | | |
| Watt: | 37W | | |
| Typ: | 0 | | |
| Class: | A | | |

LUMINAIRE

| | | | |
|--------------|-----|---------------------------|-----------|
| Watt: | 35W | Lichtstrom (lm): | 2085lm |
| | | CCT: | 3000K |
| | | Efficiency: | 64% |
| | | Efficacy: | 59.56lm/W |
| | | CRI: | 90 |
| | | Dimmable Typology: | Push |

Anmerkungen

Dimmable: Push & APP