


# DATASHEET



BROKIS


|                          |  |
|--------------------------|--|
| <b>Name</b>              | Pendent lamp   |
| <b>Type</b>              | Awa  |
| <b>ID</b>                | PC1130   |
| <b>Description</b>       | A ball made from air wrapped in liquid is called "Awa" in Japanese. This design sprung from the idea of creating resembling soft glass that has retained its shape after being inflated. |
| <b>Tech. description</b> | The light comprises a metal body with wooden or metal cover, power cord, and glass diffuser suspended from three points. The light is attached to a ceiling canopy.                      |



## CONSTRUCTION SPECIFICATION

|                              |                    |
|------------------------------|--------------------|
| <b>Weight [kg]</b>           | 3.5 kg             |
| <b>Construction material</b> | glass, wood, metal |
| <b>Cord length [mm]</b>      | 2,000 mm           |
| <b>Mounting</b>              | Ceiling            |
| <b>Environment</b>           | Indoor             |

## Dimensions [mm]



## ELECTRICAL SPECIFICATION

|                          |                                   |
|--------------------------|-----------------------------------|
| <b>Input voltage [V]</b> | 230 VDC                           |
| <b>Frequency [Hz]</b>    | 50-60 Hz                          |
| <b>Max. power [W]</b>    | 60 W                              |
| <b>Coverage IP</b>       | 20                                |
| <b>Socket</b>            | E27                               |
| <b>Light source</b>      | -                                 |
| <b>Energy class</b>      | A+ to E depending on light source |

## Certifications




# DATASHEET

## RECOMMENDED BULBS



BROKIS



### SEGULA 50500

|                       |               |
|-----------------------|---------------|
| Socket                | E27           |
| Type                  | LED filament  |
| Lamp wattage [W]      | 6 W           |
| Input voltage [V]     | 220 - 240 VAC |
| Energy class          | A             |
| Flux[lm]              | 250 lm        |
| Light Colour [K]      | 2,000 K       |
| CRI                   | 90+           |
| Lifespan [h]          | 20,000h       |
| Dimmable              | yes           |
| Dimensions h x w [mm] | 146 x 64 mm   |




### SEGULA 50154


|                       |               |
|-----------------------|---------------|
| Socket                | E27           |
| Type                  | LED filament  |
| Lamp wattage [W]      | 12 W          |
| Input voltage [V]     | 220 - 240 VAC |
| Energy class          | B             |
| Flux[lm]              | 500 lm        |
| Light Color [K]       | 2600 K        |
| CRI                   | 95            |
| Life span [h]         | 15000h        |
| Dimmable              | yes           |
| Dimensions h x v [mm] | 140 x 100 mm  |

## Ceiling Canopy


|                                   |             |
|-----------------------------------|-------------|
| Dimensions $\varnothing$ x w [mm] | 114 x 60 mm |
| Weight [kg]                       | 0.17 kg     |
| Material                          | wood        |



## Drawing




## Canopy bracket



# DATASHEET

## RECOMMENDED BULBS




BROKIS

### Ceiling Canopy


Dimensions  $\varnothing$  x w [mm] 100 x 70 mm

Weight [kg] 0.26 kg

Material metal



### Drawing



### Canopy bracket

