FLOS

FIND ME I SUSPENSION

Number of heads

Mounting Pendant

Type of ceiling pendant Suspension cable

Lamps description Power LED DC 500 mA 6W 600 lm 3000K CRI 90

Luminaire luminous flux Extreme Cut-off. See reference number

Environment Indoor

OPTICAL

Aiming Adjustable
Light distribution symmetry Symmetric
Beam angle 14°

ELECTRICAL

Transformer availability
Transformer mounting
Remote
Transformer type
Electronic
Emergency
Without
Insulation class
Class III

PHYSICAL

Construction material Aluminium
Weight (kg) 0,23



Find Me I Suspension designed by Jorge Herrera

Luminaire for suspended mounting from the ceiling. The product includes interchangeable shield cylinder in different colours (orange, violet and black). Remote power supply 500 mA not included.

09.3710.30B - 365lm	White
09.3710.06B - 365lm	Chrome
99.3710.14B - 365lm	Black



CERTIFICATIONS











IP 20

Flos.architectural@flos.com www.flos.com

FLOS

Find Me I Suspension . Accessories

Mounting



08.8782.30

08.8783.06

Recessed power supply rose

Recessed power supply rose 08.8783.14

Surface power supply rose

08.8783.30

Surface power supply rose. Power supply included.

Find Me I Suspension designed by Jorge Herrera

Luminaire for suspended mounting from the ceiling. The product includes interchangeable shield cylinder in different colours (orange, violet and black). Remote power supply 500 mA not included.

09.3710.30B - 365lm White
09.3710.06B - 365lm Chrome
09.3710.14B - 365lm Black

Power Supply



60.8654

Constant Current Power Supply for LED. 6W

Continuous current power supply of 6W, 100/240V - 50/60Hz with 500 mA supply voltage.

Maximum lenght of 1.5 mm2 secundary conductor (m): 20

Maximum lenght of 2.5 mm2 secundary conductor (m): 50



CERTIFICATIONS















Find Me I Suspension . Lamps



Power LED

Lamp category:

LED

Socket:

Special base


Lamp type:

Power LED

Find Me I Suspension designed by Jorge Herrera

Luminaire for suspended mounting from the ceiling. The product includes interchangeable shield cylinder in different colours (orange, violet and black). Remote power supply 500 mA not included.

09.3710.30B - 365lm White
09.3710.06B - 365lm Chrome
09.3710.14B - 365lm Black



CERTIFICATIONS











Flos.architectural@flos.com