

FLOS



Fucsia 1




Fucsia 1

by Achille Castiglioni , 1996

Item Code	F24100
Mounting	Pendant
Environment	Indoor
Finish	Glass
Weight	1kg.


Technical description

Suspension lamp providing direct light. 1 hand blown glass conical diffuser with sandblasted edge. Injection-molded, opaline silicone diffuser protection ring. Gloss white powder-coated tubular



steel body. Rose assembly consisting of ceiling fitting and 30% fiberglass reinforced polyamide cover, both injection-molded.

Colors



F2410000 - Glass

Light source

1 x LED 4W E14 360lm 2700K

Electrical

Emergency Without

Voltage 230

Battery No

Supply included Yes

Physical

Cord Length (Mm) 2660

Construction Material Glass, Silicone, Steel


Weight (Kg) 1

Type of ceiling pendant Suspension cable

Certificate



FLOS



Fucsia 3



Fucsia 3

by Achille Castiglioni , 1996

Item Code	F24110
Mounting	Pendant
Environment	Indoor
Finish	Glass
Weight	2.5kg.


Technical description

Suspension lamp providing direct light. 3 hand blown glass conical diffusers with sandblasted edges. Injection-molded, opaline silicone diffuser protection rings. Gloss white powder-coated tubular steel bodies. Ceiling rose assembly consisting of 3 white painted, die-cast aluminum



arms. Rose consisting of ceiling fitting and 30% fiberglass reinforced polyamide cover, both injection-molded.

Colors



Light source

3 x LED 4W E14 360lm 2700K

Electrical

Emergency Without

Voltage 230

Battery No

Supply included Yes

Physical

Cord Length (Mm) 2660

Construction Material Glass, Silicone, Steel

Weight (Kg) 2.5

Type of ceiling pendant Suspension cable

Certificate



FLOS



Fuchsia 8

Fuchsia 8

by Achille Castiglioni , 1996

Item Code F24120

Mounting Pendant

Environment Indoor

Finish Glass

Weight 8.9kg.


Technical description

Suspension lamp providing direct light. 8 hand blown glass conical diffusers with sandblasted edges. Injection-molded, opaline silicone diffuser protection rings. Gloss white powder-coated tubular steel bodies. Ceiling rose assembly consisting of 8 extruded aluminum arms and 30%



fiberglass reinforced, injection molded polyamide side plugs. Pressed and galvanized steel ceiling fitting.

Colors



Light source

8 x LED 4W E14 360lm 2700K

Electrical

Emergency Without

Voltage 230

Battery No

Supply included Yes

Physical

Cord Length (Mm) 2660

Construction Material Glass, Silicone, Steel

Weight (Kg) 8.9

Type of ceiling pendant Suspension cable

Certificate



FLOS



Fucsia 12



Fucsia 12

by Achille Castiglioni , 1996

Item Code F24130

Mounting Pendant

Environment Indoor

Finish Glass

Weight 14.3kg.


Technical description

Suspension lamp providing direct light. 12 hand blown glass conical diffusers with sandblasted edges. Injection-molded, opaline silicone diffuser protection rings. White powder-coated tubular steel bodies. Ceiling rose assembly consisting of 12



extruded aluminum arms and 30% fiberglass reinforced, injection molded polyamide side plugs. Pressed and galvanized steel ceiling fitting.

Colors



Light source

12 x LED 4W E14 360lm 2700K

Electrical

Emergency Without

Voltage 230

Battery No

Supply included Yes

Physical

Cord Length (Mm) 2660

Construction Material Glass, Silicone, Steel

Weight (Kg) 14.3

Type of ceiling pendant Suspension cable

Certificate

