

Artemide®

Ilio Mini


↪ 20

Ilio Mini Black 3000K - APP Compatible

Ernesto Gismondi



IP20    Dimmbar: 



LUMINAIRE

- Watt: **23W**
- Spannung (V): **220-240V**
- Lichtstrom (lm): **1528lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **66.41lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Anmerkungen

BESCHREIBUNG

With simple geometry, stripped of all formal digressions and reduced to its basics, Ilio draws attention through saturated colour. A mono-material aluminium cylinder supports a LED optical engine on the top, which produces high-efficiency diffused indirect light emissions. With a flow of 2500 lumen, it ensures the general lighting of a room. With light regulator configured to controlled socket, dimmer microswitch.

ARTIKELNUMMER: 1645080APP

FUNKTIONEN

- Artikelnummer: **1645080APP**
- Farbe: **Matte Black**
- Installation: **Stehleuchte**
- Material: **Aluminium, steel**
- Serie: **Design Collection**
- design: **Ernesto Gismondi**

DIMENSION

- Höhe: **cm 175**
- Breite: **cm 4**
- Länge Fuß: **cm 20**
- Breite Fuß: **cm 20**
- Widerstand: **N.D.**
- Glühdrahttest: **750°**

ZUBEHÖR


Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP

Ilio Mini White 3000K - APP Compatible

Ernesto Gismondi



IP20    Dimmbar: 



LUMINAIRE

- Watt: **23W**
- Spannung (V): **220-240V**
- Lichtstrom (lm): **1528lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **66.41lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Anmerkungen

BESCHREIBUNG

With simple geometry, stripped of all formal digressions and reduced to its basics, Ilio draws attention through saturated colour. A mono-material aluminium cylinder supports a LED optical engine on the top, which produces high-efficiency diffused indirect light emissions. With a flow of 2500 lumen, it ensures the general lighting of a room. With light regulator configured to controlled socket, dimmer microswitch.

ARTIKELNUMMER: 1645090APP

FUNKTIONEN

- Artikelnummer: **1645090APP**
- Farbe: **White**
- Installation: **Stehleuchte**
- Material: **Aluminium, steel**
- Serie: **Design Collection**
- design: **Ernesto Gismondi**

DIMENSION

- Höhe: **cm 175**
- Breite: **cm 4**
- Länge Fuß: **cm 20**
- Breite Fuß: **cm 20**
- Widerstand: **N.D.**
- Glühdrahttest: **750°**

ZUBEHÖR


Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP

Ilio Mini Black 2700K - APP Compatible

Ernesto Gismondi



IP20    Dimmbar: 



LUMINAIRE

- Watt: **23W**
- Spannung (V): **220-240V**
- Lichtstrom (lm): **1462lm**
- CCT: **2700K**
- Efficiency: **70%**
- Efficacy: **63.58lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Anmerkungen

BESCHREIBUNG

With simple geometry, stripped of all formal digressions and reduced to its basics, Ilio draws attention through saturated colour. A mono-material aluminium cylinder supports a LED optical engine on the top, which produces high-efficiency diffused indirect light emissions. With a flow of 2500 lumen, it ensures the general lighting of a room. With light regulator configured to controlled socket, dimmer microswitch.

ARTIKELNUMMER: 1645W80APP

FUNKTIONEN

- Artikelnummer: **1645W80APP**
- Farbe: **Matte Black**
- Installation: **Stehleuchte**
- Material: **Aluminium, steel**
- Serie: **Design Collection**
- design: **Ernesto Gismondi**

DIMENSION

- Höhe: **cm 175**
- Breite: **cm 4**
- Länge Fuß: **cm 20**
- Breite Fuß: **cm 20**
- Widerstand: **N.D.**
- Glühdrahttest: **750°**

ZUBEHÖR


Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP

Ilio Mini White 2700K - APP Compatible

Ernesto Gismondi



IP20    Dimmbar: 



LUMINAIRE

- Watt: **23W**
- Spannung (V): **220-240V**
- Lichtstrom (lm): **1462lm**
- CCT: **2700K**
- Efficiency: **70%**
- Efficacy: **63.58lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Anmerkungen

BESCHREIBUNG

With simple geometry, stripped of all formal digressions and reduced to its basics, Ilio draws attention through saturated colour. A mono-material aluminium cylinder supports a LED optical engine on the top, which produces high-efficiency diffused indirect light emissions. With a flow of 2500 lumen, it ensures the general lighting of a room. With light regulator configured to controlled socket, dimmer microswitch.

ARTIKELNUMMER: 1645W90APP

FUNKTIONEN

- Artikelnummer: **1645W90APP**
- Farbe: **White**
- Installation: **Stehleuchte**
- Material: **Aluminium, steel**
- Serie: **Design Collection**
- design: **Ernesto Gismondi**

DIMENSION

- Höhe: **cm 175**
- Breite: **cm 4**
- Länge Fuß: **cm 20**
- Breite Fuß: **cm 20**
- Widerstand: **N.D.**
- Glühdrahttest: **750°**

ZUBEHÖR

Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Max 1m distance. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP