Artemide

PRODUKTDATENBLATT

Talak Professional Table - Base



DESIGN:

Neil Poulton

MATERIAL:

technopolymer, steel, aluminum

BESCHREIBUNG:

Artemide introduces new versions of its bestsellers to keep up with the pace of LED technology development in terms of performance, amount, and quality of light. The new Talak Professional appliance has the same stem structure, which allows movement around the axis and vertically along its height; the protruding head's body is modified to adjust to technological evolution, as well as to meet functional requirements for better use and relation with the working space. The new head is in fact less intrusive, being as much as 15 cm shorter than in the original version. The smaller size ensures a reduced intrusion into the working space but, at the same time, its technological development makes it more prominent in terms of lighting: the emitted flow is almost triple compared to the classical version, with a minimum increase of power.

AUSWAHL LED Struktur White ARTIKELNUMMER 0687510A

Lichtverteilung



+0-

TECHNISCHES DATENBLATT

FUNKTIONEN Produktname: Artikelnummer: Farbe:	Talak Professional Table - Base 0687510A	DIMENSION
Artikelnummer: Farbe:	Base 0687510A	
Farbe:	0687510A	
Farbe:		
	White	707
Material:	technopolymer, steel,	
	aluminum	
Serie:	Design	710
Anwendungsbereich:	Innenbeleuchtung	17
OPTIK		
Lichtverteilung:	Direct	ø165
DIMENSION		
Länge:	cm 70.7	
Höhe:	cm 71	
Durchmesser Fuß:	cm 16.5	FARBE
INKLUSIVE LEUCHTMITTE	L	
Kategorie:	LED COB	
Anzahl:	1	
Watt:	12 W	
Farbtemperatur(K):	3000 K	
Baureihe:	А	
LUMINAIR		
Watt:	12W	
Spannung (V):	100-240V	
Lichtstrom(Im):	745lm	
CCT:	3000K	
Efficiency:	79%	
Efficacy:	62.08lm/W	
	90	
CRI:		

Artemide

PRODUKTDATENBLATT

Talak Professional Table - Clamp



DESIGN:

Neil Poulton

MATERIAL:

technopolymer, steel, aluminum

BESCHREIBUNG:

Artemide introduces new versions of its bestsellers to keep up with the pace of LED technology development in terms of performance, amount, and quality of light. The new Talak Professional appliance has the same stem structure, which allows movement around the axis and vertically along its height; the protruding head's body is modified to adjust to technological evolution, as well as to meet functional requirements for better use and relation with the working space. The new head is in fact less intrusive, being as much as 15 cm shorter than in the original version. The smaller size ensures a reduced intrusion into the working space but, at the same time, its technological development makes it more prominent in terms of lighting: the emitted flow is almost triple compared to the classical version, with a minimum increase of power.

AUSWAHL LED Clamp White ARTIKELNUMMER 0678510A

Lichtverteilung



+0-

TECHNISCHES DATENBLATT

FUNKTIONEN		DIMENSION
Produktname:	Talak Professional Table - Clamp	
Artikelnummer:	0678510A	700
Farbe:	White	700
Material:	technopolymer, steel, aluminum	
Serie:	Design	
Anwendungsbereich:	Innenbeleuchtung	100
OPTIK		
Lichtverteilung:	Direct	j j
DIMENSION		
Länge:	cm 70.7	
Höhe:	cm 71	
INKLUSIVE LEUCHTMITT	FL	FARBE
Kategorie:	LED COB	
Anzahl:	1	
Watt:	12 W	
Farbtemperatur(K):	3000 K	
Baureihe:	А	
LUMINAIR		
Watt:	12W	
Spannung (V):	100-240V	
Lichtstrom(Im):	745lm	
CCT:	3000K	
Efficiency:	79%	
Efficacy:	62.08lm/W	
CRI:	90	