


TRU FLOOR

Roberto Paoli

Familie von Steh- und Pendelleuchten aus zwei vertikalen Lichtfeldern, die die Lichtquelle dank eines optischen Effekts verbergen. Struktur aus stranggepresstem Aluminium, Klemmen und Sockel aus druckgegossenem Aluminium, Diffusoren aus opalem und transparentem Methacrylat. Die Struktur ist in Mattweiß, Mattschwarz, Titangrau und Gold lackiert (Nur Grundversion). Die LED-Uplight-Quelle erzeugt ein diffuses Licht in Richtung Decke, während die seitliche LED ein indirektes Umgebungslicht erzeugt. Ausgestattet mit einem Doppeldimmer zur unabhängigen Steuerung der beiden Lichtquellen.



LED 2700K

LAMPING

Source	linear LED + LED board
Total power	16+ 33W
Emission	up + back, indirect
Switching	double dimming, push on board
Tension	110/240V
Color temperature	2700K
Luminous flux	2125+1765lm
Typ cri	85
Energy class	A+
Materials	aluminium + PC
Notes	cable length 3,3m
Net lamp weight	9 kg

Codes

TRU LWW 25
TRU LNN 25
TRU LDD 25
TRU LGG 25


Structure/Diffuser

white/white
black/white
titan grey/white
gold painted/white

PACKAGE

Package 01	Dimension: 28x26x20 cm / Gross weight: 8 kg
Package 02	Dimension: 22x17x191 cm / Gross weight: 4 kg

Certificazioni



LED 3000K

LAMPING

Source	linear LED + LED board
Total power	16+ 33W
Emission	up + back, indirect
Switching	double dimming, push on board
Tension	110/240V
Color temperature	3000K
Luminous flux	2125+1765lm
Typ cri	85
Energy class	A+
Materials	aluminium + PC
Notes	cabl length 3,3m
Net lamp weight	9 kg

Codes

TRU LWW 24
TRU LNN 24
TRU LDD 24
TRU LGG 24

Structure/Diffuser

white/white
black/white
titan grey/white
gold painted/white

PACKAGE

Package 01	Dimension: 28x26x20 cm / Gross weight: 8 kg
Package 02	Dimension: 22x17x191 cm / Gross weight: 4 kg

Certificazioni

