


CiniLightSystem 4C


Suspended ceiling lamps made using two elementary modules, the rose and the arm, which can be combined in a wide variety of ways. The rose has eight housings, each of which enables an individual arm to be oriented in eight different positions. The two sizes of arms are applied to the rose by simply pressing them home.



LUMINAIRE

finish	chrome
code	490
materials	steel, zamak
environment	interiors
mounting location	ceiling
emission	direct diffused light
weight	5,4 kg
tension	12V
transformer	toroidal integrated
design Franco Bettonica, Mario Melocchi, 1994	

LAMP

source	halogen 
socket	G4 or GY6.35
ILCOS code	HSGST/C//UB
lamp included	no
number of lamps	4
power	4 x MAX 50W
life	4.000 h
energy label	C
luminous flux	4 x 910 lm
colour temperature	3.000 °K

ACCESSORIES



rosone da soffitto
con trasformatore
280W

cod 403



rosone da soffitto
senza trasformatore

cod 404



rosone
da incasso

cod 401



braccio angolare
rettilineo 50/50

cod 424



braccio angolare
rettilineo 16/35

cod 421




cilindro
protettivo

cod 482

CiniLightSystem 8C


Suspended ceiling lamps made using two elementary modules, the rose and the arm, which can be combined in a wide variety of ways. The rose has eight housings, each of which enables an individual arm to be oriented in eight different positions. The two sizes of arms are applied to the rose by simply pressing them home.



LUMINAIRE

finish	chrome
code	491
materials	steel, zamak
environment	interiors
mounting location	ceiling
emission	direct diffused light
weight	6,1 kg
tension	12V
transformer	toroidal integrated
design Franco Bettonica, Mario Melocchi, 1994	

LAMP

source	halogen 
socket	G4 or GY6.35
ILCOS code	HSGST/C//UB
lamp included	no
number of lamps	8
power	8 x MAX 35W
life	4.000 h
energy label	C
luminous flux	8 x 600 lm
colour temperature	3.000 °K

ACCESSORIES



rosone da soffitto
con trasformatore
280W

cod 403



rosone da soffitto
senza trasformatore

cod 404



rosone
da incasso

cod 401



braccio angolare
rettilineo 50/50

cod 424



braccio angolare
rettilineo 16/35

cod 421




cilindro
protettivo

cod 482

CiniLightSystem 8L


Suspended ceiling lamps made using two elementary modules, the rose and the arm, which can be combined in a wide variety of ways. The rose has eight housings, each of which enables an individual arm to be oriented in eight different positions. The two sizes of arms are applied to the rose by simply pressing them home.



LUMINAIRE

finish	chrome
code	492
materials	steal, zamak
environment	interiors
mounting location	ceiling
emission	direct diffused light
weight	7,0 kg
tension	12V
transformer	toroidal integrated
design Franco Bettonica, Mario Melocchi, 1994	

LAMP

source	halogen 
socket	G4 or GY6.35
ILCOS code	HSGST/C//UB
lamp included	no
number of lamps	8
power	8 x MAX 35W
life	4.000 h
energy label	C
luminous flux	8 x 600 lm
colour temperature	3.000 °K

ACCESSORIES



rosone da soffitto
con trasformatore
280W

cod 403



rosone da soffitto
senza trasformatore

cod 404



rosone
da incasso

cod 401



braccio angolare
rettilineo 50/50

cod 424



braccio angolare
rettilineo 16/35

cod 421



cilindro
protettivo

cod 482